

1. A buccal polar pump spray composition for transmucosal administration of a pharmacologically active compound soluble in a pharmacologically acceptable polar solvent said composition comprising in weight
5 % of total composition: polar solvent 37-98.58%, active compound 0.005-55%
wherein the active compound is selected from the group consisting of biologically active peptides, central nervous system active amines, sulfonyl ureas, antibiotics, antifungals, antivirals, sleep inducers, antiasthmatics, antiemetics, histamine H-2 receptor antagonists, barbiturates, prostoglandins,
10 bronchial dilators selected from the group consisting of terbutaline, and theophylline.
2. The composition of claim 1 additionally comprising, by weight of total composition: flavoring agent 0.1-10%.
- 15 3. The composition of claim 1 comprising: polar solvent 60.9-97.06%, active compound 0.01-40%, flavoring agent 0.75-7.5%.
4. The composition of Claim 1 wherein the polar solvent is selected
20 from the group consisting of low molecular weight polyethylene-glycols (PEG) of 400-1000 MW, C₂-C₈ mono- and poly-alcohols, and alcohols of C₇-C₁₈ hydrocarbons of a linear or branched configuration.
5. The composition of Claim 1 wherein the solvent is aqueous
25 polyethylene glycol.
6. The composition of Claim 1 wherein the solvent comprises aqueous ethanol.
- 30 7. The composition of Claim 1 wherein the active compound is

selected from the group consisting of cyclosporin, clozapine, zidevudine, erythromycin, odansetron, cimetidine, phenytoin, carboprost thromethamine, and valerian in their nonionized form or as the pharmaceutically acceptable salts thereof.

5

8. The composition of Claim 2 wherein the flavoring agents are selected from the group consisting of synthetic or natural oil of peppermint, oil of spearmint, citrus oil, fruit flavors, sweeteners and combinations thereof.

10

9. The composition of Claim 2 of the formulation: polar solvent 75-85%, cyclosporin 15-25%, flavoring agent 0.1-5%.

10. The composition of Claim 2 of the formulation: polar solvent 19-90%, odansitron hydrochloride 2.5-15%, flavoring agent 1-10%.

15

12. A method of administering a pharmacologically active compound to a mammal in needed of same, by spraying the oral mucosa of said mammal with a composition of claim 1.

20

13. The method of claim 12 wherein the amount of spray administered is predetermined.